

**E-TENDER
FOR
SUPPLY,INSTALLATION
AND COMMISSIONING OF ‘OPEN GYM
EQUIPMENTS’
AT
JUTOGH CANTONMENT**

**ISSUED BY
CANTONMENT BOARD JUTOGH**

Issued By:

**CANTONMENT BOARD, JUTOGH
Tel. No. 0177-2837598. Fax No. 0177-2837598.
Website Address: www.cbjutogh.org
Email-id: cbjutogh@dggest.org**

E-TENDER NOTICE (2017-18)

E - Tenders are invited through electronic tendering system under two-bid system <http://eprocure.gov.in/eprocure/app> from contractors/General Order Suppliers/Authorized Dealers/Manufacturing companies for Supply, installation and commissioning of 'Open Gym Equipments as per terms & conditions given in tender. Firm/suppliers have to register their firms with the Cantonment Board, Jutogh before participating in E-tender.

Sr. No.	Name of Work	Estimated cost (In Rs.)	Earnest Money Deposit (In Rs.)	Security Deposit (In Rs.)	Tender form fee (In Rs.)	Registration Fee (In Rs.)
1.	Supply, Installation and commissioning of 'Open Gym Equipments'	5,00,000/-	10,000/-	5% of the lowest rates quoted and approved by the Board	500/-	1000/-

Critical Dates:

1.	Publishing Date and time of tender documents through E-procurement http://eprocure.gov.in/eprocure/app .	18/07/2017 at 1500 hrs
2.	Start Date and Time for downloading of tender documents	18/07/2017 at 1700 hrs
3.	Last Date and Time for downloading of tender documents	08/08/2017 at 1600 hrs
4.	Start date and time of Bid Submission Cover 1 & 2 (Technical Bid & Financial Bid)	18/07/2017 at 1700 hrs
5.	Last date and time for Bid Submission Cover 1 & 2 (Technical Bid & Financial Bid)	08/08/2017 at 1700 hrs
6.	Date and time for submission of original technical documents (Cover 1)	Upto 11/08/2017 at 1100 hrs
7.	Last date and time for Registration of firm.	07/08/2017 upto 1500 hrs
8.	Date and time for opening of Technical bids (Cover 1)	11/08/2017 at 1130 hrs
9.	Date and time for opening of Financial bids (Cover 2)	11/08/2017 at 1400 hrs

GENERAL TERMS & CONDITIONS

1. Bidder have to register with Cantt. Board Jutogh before participating in E-tender. Only the bidders registered with the Cantonment Board Jutogh Cantt. shall participate in the tender. Fill from F-6 alongwith the concerned documents as asked in the from for registration. The registration fee is Rs. 1000/- for one year F.Y. and registration can be renewed in next financial year. The registration will be done in the office of Chief Executive officer Jutogh on any working day and as per dates given above. Bring original documents for verification during registration of the firm. The registration fee is to be deposited in the from of Demand draft from any scheduled/Nationalized bank in favor of Chief Executive Officer, Cantonment Board, Jutogh Cantt payable at PNB ,Totu.
2. Only the agencies registered with the Cantonment Board Jutogh Cantt shall participate in the tender.
3. Cost of tender is **Rs. 500/-** (Rupees Five Hundred Only) which is to be deposited in the form of Demand draft from any scheduled/Nationalized bank in favor of Chief Executive Officer, Cantonment Board, Jutogh Cantt payable at PNB , Totu. Copy shall be uploaded online and original to be submitted offline as per due dates. (Form F-1)

4. Cost of Tender Fee shall be non-refundable.
5. Earnest Money Deposit (EMD) of Rs.10,000/- (Rupees Ten Thousand only) along with the Technical bid in the shape of DD/FDR in favor of “Chief Executive Officer, Cantt Board Jutogh”, payable at Punjab National Bank, Totu. Technical Bids received without Earnest Money Deposit (EMD) and Tender Form fee shall stand rejected and thus shall not be considered for evaluation at any stage. The bid security without interest shall be returned to the unsuccessful bidders after finalization of contract. (Form F-1)
6. Receipt of Registration Fee, Receipt of Tender form Fee and EMD shall be submitted with the **Part I- Technical BID. BID submitted without these three type of fees, as mentioned above will not be considered for evaluation and shall be rejected summarily.**
7. Financial bid of only those bidders will be opened who qualifies in technical bid evaluation.
8. The EMD of un-successful Bidders shall be refunded only after the contract has been awarded to the successful Bidder. No interest shall be paid on the EMD.
9. The EMD of successful Bidder will be discharged upon the Bidder’s accepting the award & signing the Agreement, and furnishing the Contract Performance Security. No interest shall be paid on the EMD.
10. Bid submitted by Bidder shall remain valid for acceptance for a period of 90 (ninety) days from the date of opening of the BID. Bidders shall not be entitled during the said ninety days’ period to revoke or cancel the BID or to vary the same or any term thereof without the consent in writing to the Cantt. Board.
11. The tender are subject to the approval of the Cantt Board Jutogh who do not bind themselves to accept the lowest tender or to give reason for rejecting any tender.
12. The decision of the Cantt Board shall be final and binding .No applicant/firm shall be entitled for any compensation whatsoever for rejection of his application/non opening of cover No 2 (Price bid).
13. In case, tender is accepted in favour of a specific firm after being lowest, the agreement /contract shall be executed by the said firm only. Under no circumstances, subletting in any form shall be allowed. Even the ‘Power of Attorney’ shall not to be accepted /allowed
14. The Accepting Authority reserves its right to accept a tender submitted by a public undertaking, giving a price reference over other tender(s) which may be lower, as are admissible under the Government policy. No claim for any compensation or otherwise shall be addressable from such tenderers whose tenders may be rejected on account of the said policy.
15. Any attempt to supply the sub standard equipments shall entail the legal action against the supplier including forfeiting of earnest money/security deposit apart from other remedies available under the applicable laws.
16. In case of any dispute , decision of Cantonment Board ,Jutogh shall be final & binding upon both the parties
17. Rates offered shall be applicable for one year from opening of tender .

18. Any supply later than the date mentioned in the supply order shall result in the penalty .The penalty shall be deduction of 10% of the security deposit for a delay of every seven days.
19. Any sub standard item shall not be accepted in any such event the same has to be replaced within 2 days otherwise item shall be procured at supplier's risk and cost .
20. Rate should be inclusive of all charges / rates / taxes, GST etc. , supply and installation of equipments at Cantt Board Jutogh. Rates of each item should be valid for one year w.e.f. from the date of Tender submission.
21. Rate and other required details shall be written very clean and clear on the documents so that it is easily readable/understood by this office. No over –writing is allowed. In case of any over writing the tender will be rejected . Any complaint in this regard will not be attended by the CEO/ Cantonment Board, Jutogh.
22. Query/ doubt, if any regarding tender terms and conditions tender items etc. may get cleared by the Tenderer from the office before submission of tender. No complaints thereafter shall be attended by the CEO/Cantonment Board.
23. The decision of the CEO/ Cantonment Board, Jutogh in the matter, shall be final and it does not bind itself to accept the lowest or any other tender.
24. The CEO/Board has the right to reject or accept any or all the tenders at any time, without assigning any reason.
25. No tender shall be accepted on lump-sum-rate. The rate of each item shall be the basis of acceptance. The undersigned/ Board reserves the right to order any items or all items of tender partly/ fully/ higher quantity.
26. Breach of the any of the condition shall make the tender liable for forfeiture of Earnest money and the loss of the Board, if any, over the above the said sum shall be recovered from the tenderer.
27. No conditional tender from the tenderer shall be accepted.
28. Each and every page of the tender shall be signed by the Tenderer and should be stamped with proper authority.
29. Rates shall be quoted for particular Brand as prescribed in the Tender only.
30. Successful Tenderer shall have to complete entire supply or quantity within a period as mentioned in supply order. Payment shall be made on the satisfactory testing of materials, etc.
31. The Tenderer shall bear all the costs associated with the preparations and submission of Tender. The purchaser shall not be responsible or liable for any costs, outcome of the tendering process.
32. The amount deposited by Tenderer as Earnest money deposit and security deposit shall carry no interest during the entire period for which it remains with Cantonment Board, Jutogh.
33. The Cantonment Board reserves the right to increase or decrease the quantity which is specified in the Tender without any change in price quoted or other term conditions.
34. In case if the tenderer fails to carry out supply/ undertake the work at his quoted rates or agreed rates, Cantonment Board reserves the right to forfeit the Earnest Money Deposit and Security Deposit and may black list the tenderer for future

35. Rates once fixed shall remain valid for the period of delivery and installation. Increase and decrease of taxes / duties shall not affect the quoted price during this period.
36. Necessary Income Tax TDS etc as applicable shall be deducted from the payments.
37. Bidder have to submit security deposit @5% of the lowest rates quoted and approved by the Board for Installation and commissioning of 'Open Gym Equipments' and have to sign an agreement with the Board.
38. The general term and conditions of this tender document will be the part of contract agreement.

B. MODE OF SUBMISSION OF TENDER

The Firm/Supplier has to submit online bids through procurement web portal <http://eprocure.gov.in/eprocure/app>.

viz. Technical bid (Cover 1)
and financial bid (Cover 2).

No Manual Bid will be accepted.

(Cover 1) TECHNICAL BID, UPLOAD THE FOLLOWING DOCUMENTS IN THE TECHNICAL BID :-

Sr. No.	Item/Document
1.	Scanned copy of tender document duly signed by the bidder .
2.	Tender form fee, Registration Fee and Earnest Money deposit fee details as per F-1 .
3.	BID Form F-2 duly signed and stamped by the authorized signatory
4.	No Deviation Confirmation as per F-3 .
5.	Proof Of Supplying Open Gym items to Govt. Deptt. F-4
6.	Document proof of Quality/ Design Standard, TUV/CE Certificate Safety and Quality standard
7.	Checklist page No. F-5

II. (COVER 2) FINANCIAL / PRICE BID

- a) Schedule of Financial/Prince bid in the form of BOQ.xxx .Do not tamper / change the BOQ sheet otherwise bid will be rejected. Only mention the rates in Blank columns as asked therein.

C. OFFLINE SUBMISSION OF ORIGINAL DOCUMENTS UPLOADED AT CPP PORTAL IN THE OFFICE OF CANTONMENT BOARD JUTOGH:

All the documents in original should be received in the office of Cantt Board Jutogh strictly during the date and time slot. Any copy of original documents received before or after the mentioned date & time slot will be rejected and bids corresponding to that bidder will not be opened.

1. The cover 1 must be sealed and addressed to the Chief Executive Officer, Jutogh Cantt.
2. The envelope must contain the name, address and contact details of business of the person or persons submitting the BID and must be **signed and sealed by the Bidder with his signature on every page of the BID.**
3. BID by a partnership firm/consortium of firms must furnish names of all partners and be signed in the partnership name, followed by signatures and designations of authorized partners or other authorized representatives. The copy of partnership deed/consortium agreement should also be furnished.
4. The Bidder's name stated in the BID shall be exact legal name of the firm/company/corporation etc. as registered or incorporated.
5. All changes/alteration/corrections in the BID shall be signed with date in full by the person or persons signing the bid.
6. **No erasing and/or overwriting are allowed.**
7. **(Cover 2) Financial Bid document need not be sent offline.**

D. SELECTION CRITERIA

I. Technical bid (Cover 1): Technical bid submitted online will be opened in the Office of the Cantonment Board, Jutogh in the presence of Chief Executive Officer/tender opening committee (Bid openers). Technical bid will be opened online first to verify its contents as per requirements. If the various documents contained do not meet the requirements of the Cantonment Board Jutogh Cantt, the contractor's financial bid will not be considered for further action. **If three bidder qualifies in technical bid then only the process for opening financial bid shall be initiated.**

II. Financial bid (Cover 2): Financial bid of only those Firm/Suppliers who qualifies in the technical bid (Cover 1) and original documents submitted in the office, will be opened on the date and time declared in tender notice. If the financial bid i.e. BOQ could not be opened due to "Document Decryption Failed" reason and **if minimum three financial bids** i.e. BOQ opened successfully then only the tender will succeed for further action. The failed bid/bids shall be considered to be rejected.

Cantonment Board, Jutogh is not responsible for any postal delay or delay due to link failure/internet problem etc. in respect of submission/receipt of any documents or in submission of e-bid. It is the responsibility of the Bidder to make sure that the required documents/ e-bid shall be submitted in time. Tender Opening committee constituted by the **Cantonment Board Jutogh** will examine the entire proposal on the basis of technical Bid and the financial Bid of only those **Bidder/Agencies** will be opened who qualifies in the technical bid evaluation.



E. Delivery Period/Period of Contract: Delivery Period for supply including fitment and installation of items is 30 days from the date of supply order. Please note that Supply order can be cancelled unilaterally by the CEO/Cantonment Board in case services are not rendered within the contracted period.


F. Transportation: The cost quoted by the contractor should include the cost of transportation. No extra transportation cost will be borne by the Cantonment Board, Jutogh Cantt.



General Specification of Outdoor Gym Equipment


Subject	Standard for Outdoor Fitness Equipment.
User Weight	The fitness equipment should be designed for 120kg user weight.
Quality/ Design Standard	All Outdoor Gym Equipment must confirm DIN 79000 and EN 16630, The Certificate issue date must be minimum one year old.
TUV/CE Certificate etc	All the equipment shall be third party Quality certified (TUV) as per the specified standard. / manufacturing Point
Safety and Quality standard	The Outdoor Fitness Equipment should be confirming to the required standard for safety and quality as per DIN79000 / EN 16630
Salt Test	The Equipment must have 1000 Hrs Salt Spray Test from Govt. recognized Indian Lab
Nuts &Bolts	Stainless steel 316 & lock-nut etc.
Material	Galvanized Steel Pipe. Cleaned by sand-blasting. Then coated with phosphate solution and finished with electro-static powder coating or other similar available material meeting the required standard along with a complete manufacturing process in detail need to be submit along with other documents .
Anti-Rust	Shot blast/grit blasting of equipment to clean the rust. Electrostatic powder coating technique To process the pipe surface.
Column	The Pre Galvanized steel pipe, column footing plate screw with a pull-burst. The surface rust, acid degreasing, cleaning, Phosphate rust after a special process. Throwing sand, Imported plastic Powder with a double surface household-level spraying layer, electrostatic spray, high-temperature plastic 200 degree baking powder. Smooth surface, UV resistant or as specified by the manufacture's specification
Seat and plastics	Metal with any protection / of anti-ultraviolet. Anti-static de-colorization element passing. Strength, smooth surface, security assurances, weather resistance etc.
UV	Fully resistant
Platforms	High Strength punching plate, with a special process dealing with wavy surface microscopy, safe and beautiful non-slip resistance
Fasteners	Stainless Steel screws to be used. and at the contact point with the columns- rubber pads to be used, screw to cover with a plastic cap, to enhance its security.

DETAILS OF EQUIPMENTS:

Sn	Description	Image
1	<p>Leg Press: Providing, designing and fixing of leg press of size 2044 x 494 x 1504 mm fabricated with main post of 140 mm dia and 3.00 mm thick ,Connecting pipe dia 60 mm thickness 2.75mm, Yellow sleeve is dia 159mm thickness 8.0mm, Handle bar dia 33 mm thickness 2.75mm, PVC Handle dia 33, Handle and dia 27 having bottom plate 260 mm dia with thickness 12.00 mmwith ABS Cap/ Cover,all pipes made up of hot rolled tubular steel and pre galvanized, having Oil degreasing treatment and Sand Blasting De-rusting treatment must be used before powder coating treatment with baking temperature of more than 200 degree Celsius using high quality paint Nippon or equivalent of 80 - 120 micron thickness. All joints of pipe should be cut by CNC laser cutting and robotic welded, with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Seats shall be made up of steel 4.00 mm thick / LLDPE 4.00 mm thick, with rounded edges to prevent any impact of injury and welded/ attached to main structure for vandalism proof design and long life. Bearing No 6005 used shall be maintenance free, duly oil sealed and self-lubricated made by reputed company. Equipment to be fitted with inbuilt limiters to prevent unwanted movement. All open ends of pipe to be closed by Steel/ LLDPE caps for user safety. The Equipment must confirm the Quality Standards Such as DIN 79000 and EN 16630. The equipment must have TUV certification in the manufacturing process.</p> <p>The equipment shall be fixed on ground with concrete of minimum strength M-25 with J-bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover, all complete.</p>	
2	<p>Air Walker: Providing, designing and fixing of Air-Walker of size 992 x 505 x 1380 mm fabricated with main post of 140mm dia and 3.00 mm thickSwing leg is dia 48 mm thickness 2.75mm, Handle beam is dia 42 mm thickness 2.75mm , and other pipes of 2.75 mm thick having bottom plate 260 mm dia with thickness 12.00 mm with ABS Cap/ Cover, all pipes made up of hot rolled tubular steel and pre galvanized, having Oil degreasing treatment and Sand Blasting De-rusting treatment must be used before powder coating treatment with baking temperature of more than 200 degree Celsius using high quality paint Nippon or equivalent of 90 - 120 micron thickness. All joints of pipe should be cut by CNC laser cutting and robotic welded, with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Foothold shall be made up of steel 3.00 mm thick / Nylon 4.00 mm thick, with rounded edges to prevent any impact of injury and welded/ attached to main structure for vandalism proof design and long life. Bearing No 6205 used shall be</p>	

	<p>maintenance free, duly oil sealed and self-lubricated made by reputed company. Equipment to be fitted with inbuilt limiters to prevent unwanted movement. All open ends of pipe to be closed by Steel/ LLDPE caps for user safety. The Equipment must confirm the Quality Standards Such as DIN 79000 and EN 16630. The equipment must have TUV certification in the manufacturing process.</p> <p>The equipment shall be fixed on ground with concrete of minimum strength M-25 with J-bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover.</p>	
<p>3</p>	<p>Twister: Providing, designing and fixing twister of size: 1365× 1708 x 1292 mm fabricated with main post of 140 mm dia and 3.00 mm thick and rest of the pipe 2.75mm, Yellow sleeve dia 159mm thickness 8.0mm, Handle beam is dia 33 thickness 2.75mm, Under plate pipe is dia 48 mm thickness 2.75mm, having bottom plate 260 mm dia with thickness 12.00 mm with ABS Cap/ Cover , all pipes made up of hot rolled tubular steel and pre galvanized, having Oil degreasing treatment and Sand Blasting De-rusting treatment must be used before powder coating treatment with baking temperature of more than 200 degree Celsius using high quality paint Nippon or equivalent of 90 - 120 micron thickness. All joints of pipe should be cut by CNC laser cutting and robotic welded, with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Foothold shall be made up of steel 4.00 mm thick , with rounded edges to prevent any impact of injury and welded/ attached to main structure for vandalism proof design and long life. Bearing No 6205 used shall be maintenance free, duly oil sealed and self-lubricated made by reputed company to be approved by Engineer in charge. Equipment to be fitted with inbuilt limiters to prevent unwanted movement. All open ends of pipe to be closed by Steel/ LLDPE caps for user safety. The Equipment must confirm the Quality Standards Such as DIN 79000 and EN 16630. The equipment must have TUV certification in the manufacturing process.</p> <p>The equipment shall be fixed on ground with concrete of minimum strength M-25 with J-bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover,</p>	

<p>4 Push & Pull Up Chair: Providing, designing and fixing of pull chair in a pair of size 1726×763×1707 mm fabricated with main post of 114 mm dia and 3.00 mm thick Pushing and Pulling arm dia 42 mm thickness 2.75mm, Connecting pipe dia 42 mm thickness 2.75mm, Seat connecting pipe dia 60 mm thickness 2.75mm, Handle bar dia 33mm thickness 2.75mm, The rest pipe is thickness 2.75mm, PVC Handle dia 33 mm, having bottom plate 260 mm dia with thickness 12.00 mm with ABS Cap/ Cover ,all pipes made up of hot rolled tubular steel and pre galvanized, having Oil degreasing treatment and Sand Blasting De-rusting treatment must be used before powder coating treatment with baking temperature of more than 200 degree Celsius using high quality paint Nippon or equivalent of 80 - 120 micron thickness. All joints of pipe should be cut by CNC laser cutting and robotic welded, with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Seats shall be made up of steel 4.00 mm thick / LLDPE 4.00 mm thick, with rounded edges to prevent any impact of injury and welded/ attached to main structure for vandalism proof design and long life. Bearing No 6205 and 6004 used shall be maintenance free, duly oil sealed and self-lubricated made by reputed company Equipment to be fitted with inbuilt limiters to prevent unwanted movement. All open ends of pipe to be closed by Steel/ LLDPE caps for user safety. The Equipment must confirm the Quality Standards Such as DIN 79000 and EN 16630. The equipment must have TUV certification in the manufacturing process.</p> <p>The equipment shall be fixed on ground with concrete of minimum strength M-25 with J-bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover,</p>	
<p>5 Sit Up Station: Providing, designing and fixing of double sit-up station of size 1504 x 1133 x 624 mm fabricated with main post of 140 mm dia and 3.00 mm thick, Yellow sleeve dia 159 mm thickness 8.0mm, Connecting pipe dia 33 mm thickness 3.0mm and rest of the pipes are 2.75 mm thick, having bottom plate 260 mm dia with thickness 12.00 mm with ABS Cap/ Cover, all pipes made up of hot rolled tubular steel and pre galvanized, having Oil degreasing treatment and Sand Blasting De-rusting treatment must be used before powder coating treatment with baking temperature of more than 200 degree Celsius using high quality paint Nippon or equivalent of 90 - 120 micron thickness. All joints of pipe should be cut by CNC laser cutting and robotic welded, with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Seat shall be made up of steel pipe 2.75mm thick , with rounded edges to prevent any impact of injury and welded/ attached to main structure for vandalism proof</p>	

	<p>design and long life. All open ends of pipe to be closed by Steel/ LLDPE caps for user safety. The Equipment must confirm the Quality Standards Such as DIN 79000 and EN 16630. The equipment must have TUV certification in the manufacturing process.</p> <p>The equipment shall be fixed on ground with concrete of minimum strength M-25 with J-bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover.</p>	
<p>6</p>	<p>Exercising Bar: Providing, designing and fixing of exercising bar in a pair of size 1802 x 612 x 1399 mm fabricated with main post of 140 mm dia and 3.00 mm thick and rest of the pipes 2.75 mm thick Yellow sleeve is dia 159mm thickness 8.00 mm, Parallel Bar dia 42 mm 2.75mm, rest pipe is thickness 2.75mm, having bottom plate 260 mm dia with thickness 12.00 mm with ABS Cap/ Cover. all pipes made up of hot rolled tubular steel and pre galvanized, having Oil degreasing treatment and Sand Blasting De-rusting treatment must be used before powder coating treatment with baking temperature of more than 200 degree Celsius using high quality paint Nippon or equivalent of 80 - 120 micron thickness. All joints of pipe should be cut by CNC laser cutting and robotic welded, with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. The Equipment must confirm the Quality Standards Such as DIN 79000 and EN 16630. The equipment must have TUV certification in the manufacturing process.</p> <p>The equipment shall be fixed on ground with concrete of minimum strength M-25 with J-bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover,</p>	

(on letter head of the bidder)

F-1

DETAILS OF REG. FEE/TENDER DOCUMENT FEE AND EARNEST MONEY DEPOSIT

1. Cantt-B against payment of Tender Document Fee (non refundable) downloaded from the CPP portal	:	Receipt No Dated:
2. Cantt-4B against payment of registration fee(non refundable) for registration of the firm with Cantonment Board Jutogh .	:	Receipt No Dated:
3.Earnest Money Deposit	: : : : :	i) Name of The Bank ii) Demand Draft No.: or FDR No: iii) Amount: iv) Dated:

Dated:-

(SEAL AND SIGNATURE OF BIDDER)

or

His /Her authorized signatory

With Seal of the Firm/Supplier

Note: - Scanned signed copies must be uploaded online and original to be sent offline in (Cover 1) Technical Bid by due date.

(on letter head of the bidder)

F-2
BID Form

To

THE CHIEF EXECUTIVE OFFICER,
CANTONEMNT BOARD JUTOGH, DISTT.
SOLAN, HP 173206

SUBJECT: BID FOR INSTALLATION AND COMMISSIONING OF ‘OPEN GYM

Dear Mam,

- 1) Having carefully examined all the BID Documents attached to your invitation to Tender ref No. CBJ/ _____ dated _____, we offer our services for the aforesaid work in conformity with all the terms and conditions stated therein.
- 2) We enclose herewith Rs. 10,000 /- (Rupees Ten Thousand Only) as Earnest Money Deposit in form of Demand Draft /FDR No. _____ dated _____ issued by _____ in favour of **CHIEF EXECUTIVE OFFICER, CANTONEMNT BOARD JUTOGH.**
- 3) We certify that we have carefully read each and every condition and the scope of work given in the Tender document and having understood the same we confirm our acceptance in it without any condition or deviation.
- 4) We agree to keep the BID valid for one year days from the date of opening of the BID/Tender and the period shall remain binding.
- 5) We hereby submit our offer and upload “**Schedule of Rates**” for **Financial Bid in cover 2.**

Witnesses:

For and behalf of:

(SEAL AND SIGNATURE OF BIDDER)

Name _____

Address in full _____

(on letter head of the bidder)

F-3

NO DEVIATION CONFIRMATION

To

THE CHIEF EXECUTIVE OFFICER,
CANTONEMNT BOARD JUTOGH, DISTT.
SOLAN, HP 173206

Dear Mam,

I/We understand that any deviation/exception in any form may result in rejection of BID. I/We, therefore, certify that we have not taken any exceptions/deviations anywhere in the BID and I/ we agree that if any deviation/exception is mentioned or noticed, our BID may be rejected.

(SEAL AND SIGNATURE OF BIDDER)

(on letter head of the bidder)

F-4

**DETAILS OF SUPPLYING OPEN GYM EQUIPMENTS AT GOVT
DEPTT/INSTITUTION OR RECOGNISED ORGANISATION IN LAST THREE
YEARS**

Sr. no.	Name of Organisation where Open gym items Installed	Work Order No.	Amount of Work order	Attach proof
1.				
2.				
3.				
4.				
5.				

Date:

(SEAL AND SIGNATURE OF BIDDER).

F-5

CHECKLIST OF DOCUMENTS OF TECHNICAL BID/PREQUALIFICATION (Cover 1)

Sr. No.	Item/Document	Description (page No.)	Uploaded (Yes/No)
1.	Scanned copy of tender document duly signed by the bidder .		
2.	Tender form fee, Registration Fee and Earnest Money deposit fee details as per F-1 .		
3.	BID Form F-2 duly signed and stamped by the authorized signatory		
4.	No Deviation Confirmation as per F-3 .		
5.	Proof Of Supplying Open Gym items to Fovt. Deptt. F-4		
6.	Document proof of Quality/ Design Standard, TUV/CE Certificate Safety and Quality standard		
7..	Checklist page No. F-5		

Date:

(SEAL AND SIGNATURE OF BIDDER).

F-6

(on letter head of the bidder)

**REGISTRATION OF FIRM WITH CANTONMENT BOARD JUTOGH FOR
INSTALLATION AND COMMISSIONING OF 'OPEN GYM EQUIPMENTS'**

To

The Chief Executive Officer,
Cantonemnt Board Jutogh,
Distt. Shimla, HP-171008

Dear Mam,

I/We want to participate in the E-tender ref. No. CBJ/44/OPEN GYM/ dated 18.07.2017 issued by you for Supply and installation of Open gym Equipments . The details of our/my agency/ firm is as under:

Sr. No.	Deatils	Attach proof page No.
1.	Name of Firm/Supplier	
2.	Number of Years in Operation	
3.	Registered address	
4.	Operational Address if different from above	
5.	Telephone No. (Landline)	
6.	Tele fax No.	
7.	Mobile No.	
8.	Email Address :	
9.	Name & Address of Branch, if any :	
10.	Document proof of Quality/ Design Standard TUV/CE Certificate Safety and Quality standard	

11	An affidavit to the effect that the Firm/Supplier have not been blacklisted by any Govt., Semi-Govt. Deptt., or any other organization		
13.	Documents related to the statutory requirement, such as registration with PAN/GST & Service Tax ,shop act registration etc. along with proofs		
14.	Proof Of Supplying Open Gym items to Govt. Deptt		

I have enclosed the documentary proof for the details filled by me as above and ready to pay registration fee of Rs. 1000/- only and tender form fee of Rs. 500/- only. Therefore, you are requested to register my firm with your office.

Date:

(SEAL AND SIGNATURE OF BIDDER).

Sd/xxx
CHIEF EXECUTIVE OFFICER, JUTOGH
(TANU JAIN)